## LIFE LIMITED PARTS AND MAINTENANCE LOG – CAVALON (formally the EVENT AND CONFIGURATION LOG)



Registration / Call Sign: (if available)	Serial Number (Werk-Nr.):	TADS: (if available)				
Model:	Date of manufacture: (dd.mm.yyyy)	Engine:				
Airframe S/N:	Rotor System S/N:	Engine S/N:				
Date*, stamp, signature of Quality Inspector L3 or equivalent:						

Type of Maintenance Activity	Acc. to MM	тт	Date	Signature	Next due (whichever occurs first)	
25/100 hrs / SB / AD / other	Version			(performed by)	TT	Date

<sup>\*)</sup> All current/ relevant service bulletin (SB) or airworthiness directives (AD) are incorporated in delivery configuration.

## LIFE LIMITED PARTS AND MAINTENANCE LOG – CAVALON (formally the EVENT AND CONFIGURATION LOG)



Component – MLL/AWL	Remaining		TT	Date	Signature	Replace unti	
Chapter 04-00-00 Life Limits	hrs	life time	(at inst.)	of compl.	(performed by)	TT	Date
Rotor System II	2500hrs	-					
Rotor main bearing	1500 hrs	-					

A/C Aircraft hrs Hours SB Service Bulletin

AD Airworthiness Directive inst. Installation TADS Type Approval Data Sheet
AWL Airworthiness Limitation MI Manufacturer Information TT Total Time (Aircraft)

compl. Compliance MM Maintenance Manual yrs Years